	Hits	Search Text	DBs
1	727	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and modula$5	DERWENT
2	129	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and modula$5 and fram$5	DERWENT
3	0	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and modula$5 and fram$5 and (ppm and qam)	DERWENT
4	3	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and modula$5 and fram$5 and ((ppm or (pulse adj position adj modulat$5)) or (qam or (quadrature adj amplitude adj modulat$5)))	DERWENT
5	4	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and (modula$5 near5 typ$5) and fram$5	DERWENT
6	25	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and (modula$5 near5 typ$5)	DERWENT
7	3	"6717934".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	("6445745" | "6463042").PN.	USPAT
9	0	"6717934".URPN.	USPAT
10	6	("4829543" | "5408504" | "5602868" | "5673291" | "5828560" | "5987068").PN.	USPAT
11	307953	pulse adj positiona dj modulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	724356	quadrature adj amplitude modula$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	731100	pulse adj position dj modula$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1755	375/295.ccls. or 375/261.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	20122573	@ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2	"6212240".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	2	"6208663".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	2	"6741659".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	2	"6603808".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	4	"6212240".pn. or "6208663".pn. or "6741659".pn. or "6603808".pn.	USPAT
21	0	mac with initiali$5 with scramb$5 with bit$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	((media adj access adj control$5) with initiali$5 with scramb$5 with bit$5) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	3785	(media adj access adj control$5) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	4	((media adj access adj control$5) with scram$5) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1215	((media adj access adj control$5) with layer$5) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	17	((media adj access adj control$5) with layer$5 with (encod$5 or scram$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
27	23	("5526399" | "5533004" | "5559810" | "5577087" | "5600663" | "5638384" | "5699365" | "5701294" | "5722051" | "5757813" | "5764699" | "5828672" | "5828677" | "5844918" | "5909469" | "5923642" | "5940439" | "5946320" | "5983382" | "5991286" | "6011950" | "6021516" | "6044485").PN.	USPAT
28	8	"6208663".URPN.	USPAT
29	1	((media adj access adj control$5) with layer$5 with (scram$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	16	((media adj access adj control$5) with layer$5 with (enco$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	52	(375/295.ccls. or 375/261.ccls.) and mac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	(375/295.ccls. or 375/261.ccls.) and ((media adj access adj control$5) with layer$5 with (enco$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	0	"qam by ppm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	"qpsk by ppm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	319	hpna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	49	hpna and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	15	(qam with pulse with position) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	3	(qam with pulse with position) and hpna and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	2	"4621336".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	2	"5297181".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	2	"5633633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	2	"5872815".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	2	"6160443".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	2	"6252453".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2	"6313881".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	7	"4621336".pn. or "5297181".pn. or "5633633".pn. or "5872815".pn. or "6160443".pn. or "6252453".pn. or "6313881".pn.	USPAT
47	0	((sequenc$7 or bit$7 or informat$7 or data) near6 before near6 data near6 after near6 preamble) with (initializ$7 near6 scrambl$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	0	((sequenc$7 or bit$7 or informat$7 or data) near6 after near6 preamble near6 before near6 data) with (initializ$7 near6 scrambl$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	0	(375/295.ccls. or 375/261.ccls.) and ((media adj access adj control$5) with layer$5 with (enco$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
50	0	(375/295, 375/261, 375/368, 375/365, 375/362, 375/354, 375/377, 370/509, 370/503, 370/480, 370/464).ccls. and @ad<"20010124" and (((media adj access adj control$5) with layer$5 with (enco$5)) or (initializ$5 near2 scrambl$5 near6 (bit or sequenc$5) near6 (position$5or locat$5 or befor$5 or after) near6 preambl near6 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	(375/295, 375/261, 375/260, 375/259, 375/368, 375/365, 375/362, 375/354, 375/377, 370/509, 370/503, 370/480, 370/464).ccls. and @ad<"20010124" and (((media adj access adj control$5) with layer$5 with (enco$5)) or (initializ$5 near2 scrambl$5 near6 (bit or sequenc$5) near6 (position$5or locat$5 or befor$5 or after) near6 preambl near6 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	0	(375/295, 375/261, 375/260, 375/259, 375/368, 375/365, 375/362, 375/354, 375/377, 370/509, 370/503, 370/480, 370/464).ccls. and (((media adj access adj control$5) with layer$5 with (enco$5)) or (initializ$5 near2 scrambl$5 near6 (bit or sequenc$5) near6 (position$5or locat$5 or befor$5 or after) near6 preambl near6 data)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	0	(375/295, 375/261, 375/260, 375/259, 375/368, 375/365, 375/362, 375/354, 375/377, 375/377, 375/239, 375/261, 375/295, 375/298, 370/509, 370/503, 370/480, 370/464).ccls. and (((media adj access adj control$5) with layer$5 with (enco$5)) or (initializ$5 near2 scrambl$5 near6 (bit or sequenc$5) near6 (position$5or locat$5 or befor$5 or after) near6 preambl near6 data)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB